Author Index to Volume 167

Aiga, F., K. Sasagane and R. Itoh, The quadratic response function in the TDHF approximation and its application to frequency-dependent hyperpolarizabilities of the FH molecule 167 (1992) 277
Allan, M., see O. Schafer 167 (1992) 241

Bacskay, G.B., see J.S. Craw 167 (1992) 77
Bacskay, G.B., see J.S. Craw 167 (1992) 101
Baklanov, A.V., see A.B. Vakhtin 167 (1992) 1
Balavoine, G., see R. Loucif-Saïbi 167 (1992) 369
Ballard, C.C., see I.C. Walker 167 (1992) 61
Bandyopadhyay, T. and K.V.S. Rama Rao, Excitation transfer by long-range and short-range interactions in liquid solution: the temporal behavior 167 (1992) 131
Banerjee, A., see R.C. Boehm 167 (1992) 291
Boczar, M., see J. Najbar 167 (1992) 37
Boehm, R.C. and A. Banerjee, Ab initio study of the oxides of rhenium and their anions 167 (1992) 291
Bonazzola, L., see R. Loucif-Saïbi 167 (1992) 369
Bonomo, R.P., A.J. Di Bilio and F. Riggi, EPR investigation of chromium(III) complexes: analysis of their frozen solution and magnetically dilute powder spectra, Chem. Phys. 151 (1991) 323. Erratum 167 (1992) 385
Boutalib, A., J.P. Daudey and M. El Mouhtadi, Theoretical study of the lowest electronic states of CaH and CaH^+ molecules 167 (1992) 111
Boyarskaya, I.A., see O. Schafer 167 (1992) 241
Brion, C.E., see G.R. Burton 167 (1992) 349
Burton, G.R., W.F. Chan, G. Cooper and C.E. Brion, Absolute oscillator strengths for photoabsorption (6–360 eV) and ionic photofragmentation (10–80 eV) of methanol 167 (1992) 349

Cerny, T.M., see T.-Y.D. Lin 167 (1992) 203
Chan, W.F., see G.R. Burton 167 (1992) 349
Cooper, G., see G.R. Burton 167 (1992) 349
Cormican, H.F.J., see I.T.F. Gillan 167 (1992) 193
Coxon, J.A. and P.G. Hajigeorgiou, On the direct determination of analytical diatomic potential energy functions from spectroscopic data: the $X^1\Sigma^+$ electronic states of NaF, LiI, CS, and SiS 167 (1992) 327
Craig, D.P. and T. Thirunamachandran, An analysis of models for resonant transfer of excitation using quantum electrodynamics 167 (1992) 229
Craw, J.S., J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush, Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. I. Geometry 167 (1992) 77

Craw, J.S., J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush, Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. II. Charge density wave 167 (1992) 101
Cullin, D.W., see T.-Y.D. Lin 167 (1992) 203

Daudey, J.P., see A. Boutalib 167 (1992) 111
Delaire, J.A., see R. Loucif-Saïbi 167 (1992) 369
Denvir, D.J., see I.T.F. Gillan 167 (1992) 193
Di Bilio, A.J., see R.P. Bonomo 167 (1992) 385
Doisneau, G., see R. Loucif-Saïbi 167 (1992) 369
Domnin, I.N., see O. Schafer 167 (1992) 241
Duncan, I., see I.T.F. Gillan 167 (1992) 193

El Mouhtadi, M., see A. Boutalib 167 (1992) 111

Fillebeen-Khan, T., see R. Loucif-Saïbi 167 (1992) 369
Flament, J.P., N. Rougeau and M. Tadjeddine, Vibrational frequencies of simple sulfur oxides: ab initio SQM and MCSCF calculations; comparison 167 (1992) 53

Gillan, I.T.F., D.J. Denvir, H.F.J. Cormican, I. Duncan, T. Morrow and W.D. McGrath, 193 nm laser photodissociation of ClNO: initial vibrational energy distribution determined by LIF technique 167 (1992) 193
Granucci, G. and M. Persico, Electronic structure, vibrational spectrum and photochemistry of the $Fe+H_2$ system 167 (1992) 121
Gurman, V.S., see A.Kh. Vorobiev 167 (1992) 341

Hajigeorgiou, P.G., see J.A. Coxon 167 (1992) 327
Harigaya, K., Metal–insulator transition in doped conducting polymers. Disappearance of the electronic gap with persisting bond alternation in the system with site-type impurities 167 (1992) 315
Hush, N.S., see J.S. Craw 167 (1992) 77
Hush, N.S., see J.S. Craw 167 (1992) 101

Itoh, R., see F. Aiga 167 (1992) 277

Joyeux, M., The transition towards vibrational chaos in triatomic molecules. A numerical and analytical approach 167 (1992) 299

Kalinowski, J., W. Stampor, B. Petelenz and P. Petelenz, Electro-absorption spectrum of tetracene. High field measurements on polycrystalline samples 167 (1992) 185
Kopelman, R., see Z.-Y. Shi 167 (1992) 149

Ledoux, I., see R. Loucif-Saïbi 167 (1992) 369
Lee, S., see J. Sung 167 (1992) 17
Lin, T.-Y.D., X.-Q. Tan, T.M. Cerny, J.M. Williamson, D.W. Cullin and T.A. Miller, High-resolution fluorescence excitation spectra of jet-cooled benzyl and *p*-methylbenzyl radicals 167 (1992) 203
Loucif-Saïbi, R., J.A. Delaire, L. Bonazzola, G. Doisneau, G. Balavoine, T. Fillebeen-Khan, I. Ledoux and G. Puccetti, Molecular hyperpolarizabilities of new bimetallic ferrocenyl derivatives 167 (1992) 369

Marković, N., G. Nyman and S. Nordholm, Complex formation in $X^+ + H_2$ collisions. Statistical estimation of ion–quadrupole capture rate constants 167 (1992) 157
McGrath, W.D., see I.T.F. Gillan 167 (1992) 193
Miller, T.A., see T.-Y.D. Lin 167 (1992) 203
Morrow, T., see I.T.F. Gillan 167 (1992) 193

Najbar, J., M. Boczar and A.M. Turek, Populations of the radical transients accompanying bimolecular electron transfer reactions in solutions 167 (1992) 37
Nordholm, S., see N. Marković 167 (1992) 157
Nyman, G., see N. Marković 167 (1992) 157

Palmer, M.H., see I.C. Walker 167 (1992) 61
Persico, M., see G. Granucci 167 (1992) 121
Petelenz, B., see J. Kalinowski 167 (1992) 185
Petelenz, P., see J. Kalinowski 167 (1992) 185
Petelenz, P., see M. Slawik 167 (1992) 377
Petrov, A.K., see A.B. Vakhtin 167 (1992) 1
Puccetti, G., see R. Loucif-Saïbi 167 (1992) 369

Rama Rao, K.V.S., see T. Bandyopadhyay 167 (1992) 131
Reimers, J.R., see J.S. Craw 167 (1992) 77
Reimers, J.R., see J.S. Craw 167 (1992) 101
Renge, I., On the determination of molecular polarizability changes upon electronic excitation from the solvent shifts of absorption band maxima 167 (1992) 173
Riggi, F., see R.P. Bonomo 167 (1992) 385
Røeggen, I. and P. Wind, A theoretical study of the $(H_2)_2$ dimer. I. Bonding 167 (1992) 247
Røeggen, I., see P. Wind 167 (1992) 263
Rougeau, N., see J.P. Flament 167 (1992) 53

Sasagane, K., see F. Aiga 167 (1992) 277
Schafer, O., M. Allan, I.A. Boyarskaya and I.N. Domnin, Measurement of electron affinities of substituted cyclopropenes by electron transmission spectroscopy 167 (1992) 241
Sharafeddin, O.A., see D.H. Zhang 167 (1992) 137
Shi, Z.-Y. and R. Kopelman, Reaction order versus reaction probability for bimolecular steady state reactions: $A+A \rightarrow A$ and $A+A \rightarrow 0$ in one dimension 167 (1992) 149
Shin, K.J., see J. Sung 167 (1992) 17
Slawik, M. and P. Petelenz, Electro-absorption of charge transfer states: effect of sample texture 167 (1992) 377
Stampor, W., see J. Kalinowski 167 (1992) 185
Sung, J., K.J. Shin and S. Lee, Theory of diffusion-influenced fluorescence quenching. Effects of static quenching on the Stern–Volmer curve 167 (1992) 17

Tadjeddine, M., see J.P. Flament 167 (1992) 53
Tan, X.-Q., see T.-Y.D. Lin 167 (1992) 203
Thirunamachandran, T., see D.P. Craig 167 (1992) 229
Turek, A.M., see J. Najbar 167 (1992) 37

Vakhtin, A.B., A.V. Baklanov and A.K. Petrov, Absolute rate constants of $R+NO(+M)\rightarrow RNO(+M)$ reactions. II. Measurements for $R=C_2F_5$, i-C_3F_7, n-C_4F_9, and t-C_4F_9 at $T=295$ K 167 (1992) 1
Vorobiev, A.Kh. and V.S. Gurman, Investigation of hole mobility by photoorientation. X_2^- ions in glasses 167 (1992) 341

Walker, I.C., M.H. Palmer and C.C. Ballard, The electronic states of the azines. VI. 1,3,5-triazine, studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations 167 (1992) 61
Williams, J.H., Aspects of the vibrational spectroscopy of solid benzene and solid benzene:hexafluorobenzene 167 (1992) 215
Williamson, J.M., see T.-Y.D. Lin 167 (1992) 203
Wind, P., see I. Røeggen 167 (1992) 247
Wind, P. and I. Røeggen, A theoretical study of the $(H_2)_2$ dimer. II. The potential energy surface 167 (1992) 263
Wong, A.T., see J.S. Craw 167 (1992) 77
Wong, A.T., see J.S. Craw 167 (1992) 101

Zhang, D.H., O.A. Sharafeddin and J.Z.H. Zhang, Product state distribution in time-dependent quantum wave packet calculation with an optical potential 167 (1992) 137
Zhang, J.Z.H., see D.H. Zhang 167 (1992) 137

Subject Index to Volume 167

Methods

Theoretical

Quantized field theory
An analysis of models for resonant transfer of excitation using quantum electrodynamics, D.P. Craig and T. Thirunamachandran 167 (1992) 229

Statistical mechanics of stationary states
Absolute rate constants of R+NO(+M)→RNO(+M) reactions. II. Measurements for R=C_2F_5, *i*-C_3F_7, *n*-C_4F_9, and *t*-C_4F_9 at T=295 K, A.B. Vakhtin, A.V. Baklanov and A.K. Petrov 167 (1992) 1

Non-equilibrium thermodynamic and hydrodynamic theories
Theory of diffusion-influenced fluorescence quenching. Effects of static quenching on the Stern–Volmer curve, J. Sung, K.J. Shin and S. Lee 167 (1992) 17
Populations of the radical transients accompanying bimolecular electron transfer reactions in solutions, J. Najbar, M. Boczar and A.M. Turek 167 (1992) 37

Ab initio schemes for stationary properties
Vibrational frequencies of simple sulfur oxides: ab initio SQM and MCSCF calculations; comparison, J.P. Flament, N. Rougeau and M. Tadjeddine 167 (1992) 53
The electronic states of the azines. VI. 1,3,5-triazine, studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, I.C. Walker, M.H. Palmer and C.C. Ballard 167 (1992) 61
Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. II. Charge density wave, J.S. Craw, J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush 167 (1992) 101
Theoretical study of the lowest electronic states of CaH and CaH^+ molecules, A. Boutalib, J.P. Daudey and M. El Mouhtadi 167 (1992) 111
Electronic structure, vibrational spectrum and photochemistry of the Fe+H_2 system, G. Granucci and M. Persico 167 (1992) 121
Measurement of electron affinities of substituted cyclopropenes by electron transmission spectroscopy, O. Schafer, M. Allan, I.A. Boyarskaya and I.N. Domnin 167 (1992) 241
A theoretical study of the $(H_2)_2$ dimer. I. Bonding, I. Røeggen and P. Wind 167 (1992) 247
A theoretical study of the $(H_2)_2$ dimer. II. The potential energy surface, P. Wind and I. Røeggen 167 (1992) 263

The quadratic response function in the TDHF approximation and its application to frequency-dependent hyperpolarizabilities of the FH molecule, F. Aiga, K. Sasagane and R. Itoh 167 (1992) 277
Ab initio study of the oxides of rhenium and their anions, R.C. Boehm and A. Banerjee 167 (1992) 291

Computational and simulation methods
Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. I. Geometry, J.S. Craw, J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush 167 (1992) 77
Excitation transfer by long-range and short-range interactions in liquid solution: the temporal behavior, T. Bandyopadhyay and K.V.S. Rama Rao 167 (1992) 131
Reaction order versus reaction probability for bimolecular steady state reactions: $A+A\rightarrow A$ and $A+A\rightarrow 0$ in one dimension, Z.-Y. Shi and R. Kopelman 167 (1992) 149
The transition towards vibrational chaos in triatomic molecules. A numerical and analytical approach, M. Joyeux 167 (1992) 299
Metal–insulator transition in doped conducting polymers. Disappearance of the electronic gap with persisting bond alternation in the system with site-type impurities, K. Harigaya 167 (1992) 315
On the direct determination of analytical diatomic potential energy functions from spectroscopic data: the $X^1\Sigma^+$ electronic states of NaF, LiI, CS, and SiS, J.A. Coxon and P.G. Hajigeorgiou 167 (1992) 327

Molecular dynamics and scattering theory
Product state distribution in time-dependent quantum wave packet calculation with an optical potential, D.H. Zhang, O.A. Sharafeddin and J.Z.H. Zhang 167 (1992) 137
Complex formation in $X^+ + H_2$ collisions. Statistical estimation of ion–quadrupole capture rate constants, N. Marković, G. Nyman and S. Nordholm 167 (1992) 157
The transition towards vibrational chaos in triatomic molecules. A numerical and analytical approach, M. Joyeux 167 (1992) 299
Investigation of hole mobility by photoorientation. X_2^- ions in glasses, A.Kh. Vorobiev and V.S. Gurman 167 (1992) 341

Experimental

Magnetic resonances
Investigation of hole mobility by photoorientation. X_2^- ions in glasses, A.Kh. Vorobiev and V.S. Gurman 167 (1992) 341

Infrared spectroscopy
Vibrational frequencies of simple sulfur oxides: ab initio SQM and MCSCF calculations; comparison, J.P. Flament, N. Rougeau and M. Tadjeddine 167 (1992) 53

Visible and UV spectroscopy
On the determination of molecular polarizability changes upon electronic excitation from the solvent shifts of absorption band maxima, I. Renge 167 (1992) 173
Electro-absorption spectrum of tetracene. High field measurements on polycrystalline samples, J. Kalinowski, W. Stampor, B. Petelenz and P. Petelenz 167 (1992) 185
Investigation of hole mobility by photoorientation. X_2^- ions in glasses, A.Kh. Vorobiev and V.S. Gurman 167 (1992) 341

Absolute oscillator strengths for photoabsorption (6–360 eV) and ionic photofragmentation (10–80 eV) of methanol, G.R. Burton, W.F. Chan, G. Cooper and C.E. Brion 167 (1992) 349
Molecular hyperpolarizabilities of new bimetallic ferrocenyl derivatives, R. Loucif-Saïbi, J.A. Delaire, L. Bonazzola, G. Doisneau, G. Balavoine, T. Fillebeen-Khan, I. Ledoux and G. Puccetti 167 (1992) 369
Electro-absorption of charge transfer states: effect of sample texture, M. Slawik and P. Petelenz 167 (1992) 377

Fluorescence spectroscopy
193 nm laser photodissociation of ClNO: initial vibrational energy distribution determined by LIF technique, I.T.F. Gillan, D.J. Denvir, H.F.J. Cormican, I. Duncan, T. Morrow and W.D. McGrath 167 (1992) 193

X-ray spectroscopy
Absolute oscillator strengths for photoabsorption (6–360 eV) and ionic photofragmentation (10–80 eV) of methanol, G.R. Burton, W.F. Chan, G. Cooper and C.E. Brion 167 (1992) 349

Electron impact spectroscopy
The electronic states of the azines. VI. 1,3,5-triazine, studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, I.C. Walker, M.H. Palmer and C.C. Ballard 167 (1992) 61
Measurement of electron affinities of substituted cyclopropenes by electron transmission spectroscopy, O. Schafer, M. Allan, I.A. Boyarskaya and I.N. Domnin 167 (1992) 241

Laser methods
Absolute rate constants of $R+NO(+M)\rightarrow RNO(+M)$ reactions. II. Measurements for $R=C_2F_5$, i-C_3F_7, n-C_4F_9, and t-C_4F_9 at $T=295$ K, A.B. Vakhtin, A.V. Baklanov and A.K. Petrov 167 (1992) 1
193 nm laser photodissociation of ClNO: initial vibrational energy distribution determined by LIF technique, I.T.F. Gillan, D.J. Denvir, H.F.J. Cormican, I. Duncan, T. Morrow and W.D. McGrath 167 (1992) 193
High-resolution fluorescence excitation spectra of jet-cooled benzyl and *p*-methylbenzyl radicals, T.-Y.D. Lin, X.-Q. Tan, T.M. Cerny, J.M. Williamson, D.W. Cullin and T.A. Miller 167 (1992) 203

Non-linear optical spectroscopy
Molecular hyperpolarizabilities of new bimetallic ferrocenyl derivatives, R. Loucif-Saïbi, J.A. Delaire, L. Bonazzola, G. Doisneau, G. Balavoine, T. Fillebeen-Khan, I. Ledoux and G. Puccetti 167 (1992) 369

Synchrotron spectroscopies
The electronic states of the azines. VI. 1,3,5-triazine, studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, I.C. Walker, M.H. Palmer and C.C. Ballard 167 (1992) 61

Coherent optical spectroscopy
Investigation of hole mobility by photoorientation. X_2^- ions in glasses, A.Kh. Vorobiev and V.S. Gurman 167 (1992) 341

Time-resolved experiments
Absolute rate constants of R+NO(+M)→RNO(+M) reactions. II. Measurements for R=C_2F_5, *i*-C_3F_7, *n*-C_4F_9, and *t*-C_4F_9 at T=295 K, A.B. Vakhtin, A.V. Baklanov and A.K. Petrov 167 (1992) 1

Neutron scattering
Aspects of the vibrational spectroscopy of solid benzene and solid benzene: hexafluorobenzene, J.H. Williams 167 (1992) 215

Objects

Bulk systems

Gases
Vibrational frequencies of simple sulfur oxides: ab initio SQM and MCSCF calculations; comparison, J.P. Flament, N. Rougeau and M. Tadjeddine 167 (1992) 53
A theoretical study of the $(H_2)_2$ dimer. I. Bonding, I. Røeggen and P. Wind 167 (1992) 247
A theoretical study of the $(H_2)_2$ dimer. II. The potential energy surface, P. Wind and I. Røeggen 167 (1992) 263

Liquids mixtures and solutions
Theory of diffusion-influenced fluorescence quenching. Effects of static quenching on the Stern–Volmer curve, J. Sung, K.J. Shin and S. Lee 167 (1992) 17
Excitation transfer by long-range and short-range interactions in liquid solution: the temporal behavior, T. Bandyopadhyay and K.V.S. Rama Rao 167 (1992) 131
On the determination of molecular polarizability changes upon electronic excitation from the solvent shifts of absorption band maxima, I. Renge 167 (1992) 173

Chrystals

–neat

Electro-absorption spectrum of tetracene. High field measurements on polycrystalline samples, J. Kalinowski, W. Stampor, B. Petelenz and P. Petelenz 167 (1992) 185
Electro-absorption of charge transfer states: effect of sample texture, M. Slawik and P. Petelenz 167 (1992) 377

Glasses
Investigation of hole mobility by photoorientation. X_2^- ions in glasses, A.Kh. Vorobiev and V.S. Gurman 167 (1992) 341

Polymers
Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. I. Geometry, J.S. Craw, J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush 167 (1992) 77

Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. II. Charge density wave, J.S. Craw, J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush 167 (1992) 101
Metal–insulator transition in doped conducting polymers. Disappearance of the electronic gap with persisting bond alternation in the system with site-type impurities, K. Harigaya 167 (1992) 315

Thin films
Electro-absorption of charge transfer states: effect of sample texture, M. Slawik and P. Petelenz 167 (1992) 377

Surfaces
Product state distribution in time-dependent quantum wave packet calculation with an optical potential, D.H. Zhang, O.A. Sharafeddin and J.Z.H. Zhang 167 (1992) 137

Low-dimensional materials
Reaction order versus reaction probability for bimolecular steady state reactions: A+A→A and A+A→0 in one dimension, Z.-Y. Shi and R. Kopelman 167 (1992) 149
Metal–insulator transition in doped conducting polymers. Disappearance of the electronic gap with persisting bond alternation in the system with site-type impurities, K. Harigaya 167 (1992) 315

Microscopic systems

Molecules (neutral and ionic)
Vibrational frequencies of simple sulfur oxides: ab initio SQM and MCSCF calculations; comparison, J.P. Flament, N. Rougeau and M. Tadjeddine 167 (1992) 53
The quadratic response function in the TDHF approximation and its application to frequency-dependent hyperpolarizabilities of the FH molecule, F. Aiga, K. Sasagane and R. Itoh 167 (1992) 277

–diatomic

Theoretical study of the lowest electronic states of CaH and CaH^+ molecules, A. Boutalib, J.P. Daudey and M. El Mouhtadi 167 (1992) 111
Product state distribution in time-dependent quantum wave packet calculation with an optical potential, D.H. Zhang, O.A. Sharafeddin and J.Z.H. Zhang 167 (1992) 137
Complex formation in $X^+ + H_2$ collisions. Statistical estimation of ion–quadrupole capture rate constants, N. Marković, G. Nyman and S. Nordholm 167 (1992) 157
On the direct determination of analytical diatomic potential energy functions from spectroscopic data: the $X^1\Sigma^+$ electronic states of NaF, LiI, CS, and SiS, J.A. Coxon and P.G. Hajigeorgiou 167 (1992) 327

–small polyatomics

The electronic states of the azines. VI. 1,3,5-triazine, studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, I.C. Walker, M.H. Palmer and C.C. Ballard 167 (1992) 61
Electronic structure, vibrational spectrum and photochemistry of the $Fe+H_2$ system, G. Granucci and M. Persico 167 (1992) 121

193 nm laser photodissociation of ClNO: initial vibrational energy distribution determined by LIF technique, I.T.F. Gillan, D.J. Denvir, H.F.J. Cormican, I. Duncan, T. Morrow and W.D. McGrath 167 (1992) 193
The transition towards vibrational chaos in triatomic molecules. A numerical and analytical approach, M. Joyeux 167 (1992) 299
Absolute oscillator strengths for photoabsorption (6–360 eV) and ionic photofragmentation (10–80 eV) of methanol, G.R. Burton, W.F. Chan, G. Cooper and C.E. Brion 167 (1992) 349

–aromatics

On the determination of molecular polarizability changes upon electronic excitation from the solvent shifts of absorption band maxima, I. Renge 167 (1992) 173
Electro-absorption spectrum of tetracene. High field measurements on polycrystalline samples, J. Kalinowski, W. Stampor, B. Petelenz and P. Petelenz 167 (1992) 185

–other large

Measurement of electron affinities of substituted cyclopropenes by electron transmission spectroscopy, O. Schafer, M. Allan, I.A. Boyarskaya and I.N. Domnin 167 (1992) 241

Molecular aggregates

–dimers

A theoretical study of the $(H_2)_2$ dimer. I. Bonding, I. Røeggen and P. Wind 167 (1992) 247
A theoretical study of the $(H_2)_2$ dimer. II. The potential energy surface, P. Wind and I. Røeggen 167 (1992) 263

–van der Waals molecules

A theoretical study of the $(H_2)_2$ dimer. I. Bonding, I. Røeggen and P. Wind 167 (1992) 247
A theoretical study of the $(H_2)_2$ dimer. II. The potential energy surface, P. Wind and I. Røeggen 167 (1992) 263

–complexes

Molecular hyperpolarizabilities of new bimetallic ferrocenyl derivatives, R. Loucif-Saïbi, J.A. Delaire, L. Bonazzola, G. Doisneau, G. Balavoine, T. Fillebeen-Khan, I. Ledoux and G. Puccetti 167 (1992) 369

Free radicals (including hydronium and muonium)

Absolute rate constants of $R+NO(+M)\rightarrow RNO(+M)$ reactions. II. Measurements for $R=C_2F_5$, i-C_3F_7, n-C_4F_9, and t-C_4F_9 at $T=295$ K, A.B. Vakhtin, A.V. Baklanov and A.K. Petrov 167 (1992) 1
Populations of the radical transients accompanying bimolecular electron transfer reactions in solutions, J. Najbar, M. Boczar and A.M. Turek 167 (1992) 37

Quasiparticles (including excitions)
Electro-absorption of charge transfer states: effect of sample texture, M. Slawik and P. Petelenz 167 (1992) 377

Ions and charge carriers
Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. I. Geometry, J.S. Craw, J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush 167 (1992) 77
Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. II. Charge density wave, J.S. Craw, J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush 167 (1992) 101
Measurement of electron affinities of substituted cyclopropenes by electron transmission spectroscopy, O. Schafer, M. Allan, I.A. Boyarskaya and I.N. Domnin 167 (1992) 241
Ab initio study of the oxides of rhenium and their anions, R.C. Boehm and A. Banerjee 167 (1992) 291

Phenomena

Molecular structure
Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. I. Geometry, J.S. Craw, J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush 167 (1992) 77
Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. II. Charge density wave, J.S. Craw, J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush 167 (1992) 101
High-resolution fluorescence excitation spectra of jet-cooled benzyl and *p*-methylbenzyl radicals, T.-Y.D. Lin, X.-Q. Tan, T.M. Cerny, J.M. Williamson, D.W. Cullin and T.A. Miller 167 (1992) 203

Vibrations and rotations of molecules
Vibrational frequencies of simple sulfur oxides: ab initio SQM and MCSCF calculations; comparison, J.P. Flament, N. Rougeau and M. Tadjeddine 167 (1992) 53
Electronic structure, vibrational spectrum and photochemistry of the $Fe+H_2$ system, G. Granucci and M. Persico 167 (1992) 121
Aspects of the vibrational spectroscopy of solid benzene and solid benzene:hexafluorobenzene, J.H. Williams 167 (1992) 215
The transition towards vibrational chaos in triatomic molecules. A numerical and analytical approach, M. Joyeux 167 (1992) 299
On the direct determination of analytical diatomic potential energy functions from spectroscopic data: the $X^1\Sigma^+$ electronic states of NaF, LiI, CS, and SiS, J.A. Coxon and P.G. Hajigeorgiou 167 (1992) 327

Electronic structure and states
The electronic states of the azines. VI. 1,3,5-triazine, studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, I.C. Walker, M.H. Palmer and C.C. Ballard 167 (1992) 61

Theoretical study of the lowest electronic states of CaH and CaH^+ molecules, A. Boutalib, J.P. Daudey and M. El Mouhtadi 167 (1992) 111
Electronic structure, vibrational spectrum and photochemistry of the $Fe+H_2$ system, G. Granucci and M. Persico 167 (1992) 121
Electro-absorption spectrum of tetracene. High field measurements on polycrystalline samples, J. Kalinowski, W. Stampor, B. Petelenz and P. Petelenz 167 (1992) 185
Measurement of electron affinities of substituted cyclopropenes by electron transmission spectroscopy, O. Schafer, M. Allan, I.A. Boyarskaya and I.N. Domnin 167 (1992) 241
Ab initio study of the oxides of rhenium and their anions, R.C. Boehm and A. Banerjee 167 (1992) 291
Metal–insulator transition in doped conducting polymers. Disappearance of the electronic gap with persisting bond alternation in the system with site-type impurities, K. Harigaya 167 (1992) 315

Electric and magnetic properties
The quadratic response function in the TDHF approximation and its application to frequency-dependent hyperpolarizabilities of the FH molecule, F. Aiga, K. Sasagane and R. Itoh 167 (1992) 277

Molecular interactions
Product state distribution in time-dependent quantum wave packet calculation with an optical potential, D.H. Zhang, O.A. Sharafeddin and J.Z.H. Zhang 167 (1992) 137
Complex formation in $X^+ + H_2$ collisions. Statistical estimation of ion–quadrupole capture rate constants, N. Marković, G. Nyman and S. Nordholm 167 (1992) 157
Aspects of the vibrational spectroscopy of solid benzene and solid benzene: hexafluorobenzene, J.H. Williams 167 (1992) 215
An analysis of models for resonant transfer of excitation using quantum electrodynamics, D.P. Craig and T. Thirunamachandran 167 (1992) 229
A theoretical study of the $(H_2)_2$ dimer. I. Bonding, I. Røeggen and P. Wind 167 (1992) 247
A theoretical study of the $(H_2)_2$ dimer. II. The potential energy surface, P. Wind and I. Røeggen 167 (1992) 263

Spectral bandshapes and intensities
Absolute oscillator strengths for photoabsorption (6–360 eV) and ionic photofragmentation (10–80 eV) of methanol, G.R. Burton, W.F. Chan, G. Cooper and C.E. Brion 167 (1992) 349
Electro-absorption of charge transfer states: effect of sample texture, M. Slawik and P. Petelenz 167 (1992) 377

Coupling of electronic and nuclear motion
On the direct determination of analytical diatomic potential energy functions from spectroscopic data: the $X^1\Sigma^+$ electronic states of NaF, LiI, CS, and SiS, J.A. Coxon and P.G. Hajigeorgiou 167 (1992) 327

Energy transfer processes
Theory of diffusion-influenced fluorescence quenching. Effects of static quenching on the Stern–Volmer curve, J. Sung, K.J. Shin and S. Lee 167 (1992) 17
Excitation transfer by long-range and short-range interactions in liquid solution: the temporal behavior, T. Bandyopadhyay and K.V.S. Rama Rao 167 (1992) 131
An analysis of models for resonant transfer of excitation using quantum electrodynamics, D.P. Craig and T. Thirunamachandran 167 (1992) 229

Molecular photophysical processes
On the determination of molecular polarizability changes upon electronic excitation from the solvent shifts of absorption band maxima, I. Renge 167 (1992) 173
Electro-absorption spectrum of tetracene. High field measurements on polycrystalline samples, J. Kalinowski, W. Stampor, B. Petelenz and P. Petelenz 167 (1992) 185
193 nm laser photodissociation of ClNO: initial vibrational energy distribution determined by LIF technique, I.T.F. Gillan, D.J. Denvir, H.F.J. Cormican, I. Duncan, T. Morrow and W.D. McGrath 167 (1992) 193
Absolute oscillator strengths for photoabsorption (6–360 eV) and ionic photofragmentation (10–80 eV) of methanol, G.R. Burton, W.F. Chan, G. Cooper and C.E. Brion 167 (1992) 349

Intramolecular dynamics

–vibrational energy redistribution (including vibrational dissociation)

193 nm laser photodissociation of ClNO: initial vibrational energy distribution determined by LIF technique, I.T.F. Gillan, D.J. Denvir, H.F.J. Cormican, I. Duncan, T. Morrow and W.D. McGrath 167 (1992) 193

Luminescence spectra, yields and lifetimes
Theory of diffusion-influenced fluorescence quenching. Effects of static quenching on the Stern–Volmer curve, J. Sung, K.J. Shin and S. Lee 167 (1992) 17

Non-linear responses (including optical)
The quadratic response function in the TDHF approximation and its application to frequency-dependent hyperpolarizabilities of the FH molecule, F. Aiga, K. Sasagane and R. Itoh 167 (1992) 277
Molecular hyperpolarizabilities of new bimetallic ferrocenyl derivatives, R. Loucif-Saïbi, J.A. Delaire, L. Bonazzola, G. Doisneau, G. Balavoine, T. Fillebeen-Khan, I. Ledoux and G. Puccetti 167 (1992) 369

Reactions (including dissociation)
Product state distribution in time-dependent quantum wave packet calculation with an optical potential, D.H. Zhang, O.A. Sharafeddin and J.Z.H. Zhang 167 (1992) 137

–gas phase

Absolute rate constants of $R+NO(+M)\rightarrow RNO(+M)$ reactions. II. Measurements for $R=C_2F_5$, i-C_3F_7, n-C_4F_9, and t-C_4F_9 at $T=295$ K, A.B. Vakhtin, A.V. Baklanov and A.K. Petrov 167 (1992) 1
Complex formation in $X^+ + H_2$ collisions. Statistical estimation of ion–quadrupole capture rate constants, N. Marković, G. Nyman and S. Nordholm 167 (1992) 157

–condensed phase

Theory of diffusion-influenced fluorescence quenching. Effects of static quenching on the Stern–Volmer curve, J. Sung, K.J. Shin and S. Lee 167 (1992) 17

Reaction order versus reaction probability for bimolecular steady state reactions: A+A→A and A+A→0 in one dimension, Z.-Y. Shi and R. Kopelman 167 (1992) 149

–photochemical

Populations of the radical transients accompanying bimolecular electron transfer reactions in solutions, J. Najbar, M. Boczar and A.M. Turek 167 (1992) 37
Electronic structure, vibrational spectrum and photochemistry of the $Fe+H_2$ system, G. Granucci and M. Persico 167 (1992) 121

Electron transfer
Populations of the radical transients accompanying bimolecular electron transfer reactions in solutions, J. Najbar, M. Boczar and A.M. Turek 167 (1992) 37
Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. I. Geometry, J.S. Craw, J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush 167 (1992) 77
Solitons in finite- and infinite-length negative-defect trans-polyacetylene and the corresponding Brooker (polymethinecyanine) cations. II. Charge density wave, J.S. Craw, J.R. Reimers, G.B. Bacskay, A.T. Wong and N.S. Hush 167 (1992) 101

Ionization (including Rydberg states)
Ab initio study of the oxides of rhenium and their anions, R.C. Boehm and A. Banerjee 167 (1992) 291

Molecular motion (including diffusive)
Populations of the radical transients accompanying bimolecular electron transfer reactions in solutions, J. Najbar, M. Boczar and A.M. Turek 167 (1992) 37

Isotopic effects
On the direct determination of analytical diatomic potential energy functions from spectroscopic data: the $X^1\Sigma^+$ electronic states of NaF, LiI, CS, and SiS, J.A. Coxon and P.G. Hajigeorgiou 167 (1992) 327

Collective motion and excitations
Aspects of the vibrational spectroscopy of solid benzene and solid benzene: hexafluorobenzene, J.H. Williams 167 (1992) 215

Surface effects and catalysis
Ab initio study of the oxides of rhenium and their anions, R.C. Boehm and A. Banerjee 167 (1992) 291

Structure of solids and liquids
Metal–insulator transition in doped conducting polymers. Disappearance of the electronic gap with persisting bond alternation in the system with site-type impurities, K. Harigaya 167 (1992) 315